COOK & HOLD OVENS | ALTO-SHAAM.



ALTO-SHAAM ————— COOK & HOLD OVENS

Solutions that advance your business.

When you're faced with challenges, trust
Alto-Shaam to deliver solutions and support
when and where you need it. Our equipment
systems are designed to add value to your
business, helping create superior food
experiences that drive long-term profitability.
We pioneer equipment that is intuitive and
dependable—giving you the confidence
and support you need to embrace
changes in rapidly evolving markets.

With headquarters and manufacturing in Menomonee Falls, Wisconsin, Alto-Shaam proudly provides foodservice equipment solutions made in the USA to more than 90 countries globally.









"I built my whole restaurant concept around what an Alto-Shaam Cook & Hold Oven does to a piece of meat. Alto-Shaam has allowed me to serve an excellent quality product to my customers while reducing labor and contributing to my bottom line."

Charlie the Butcher

Owner / Charlie the Butcher's Kitchen

See Charlie's full story and more at: alto-shaam.com/success

OUR STORY

1960s

Jerry Maahs, founder, seeking a way to keep fried chicken hot for delivery during Wisconsin winters, uses thermal cables to create innovative holding cabinets. Halo Heat® debuts at the 1968 National Restaurant Association Show.



ACCOUNT.

1970s

What began as an experiment with the overnight cooking of prime rib leads to the creation of an entirely new category of commercial kitchen equipment: Cook & Hold ovens with exclusive Halo Heat® technology.

1980s

Seeing a growing need for modern kitchens to become ever more versatile and efficient,

Alto-Shaam fills that need with the groundbreaking **Combitherm® oven.**



1990s

Evolving into a forward-thinking company that offers complete kitchen systems results in dramatic growth and expansion, performing installations everywhere, from cruise lines to Antarctica.



2010s

Recognizing the industrychanging potential of Structured Air Technology®, Alto-Shaam partners with Phil McKee, founder and CEO of Appliance Innovation, to develop the revolutionary line of Vector® Multi-Cook Ovens.

2020s

Alto-Shaam introduces Vector® Multi-Cook
Ovens, Cook & Hold Ovens and Smoker Ovens
with a new enhanced design, advanced
control and a cloud-based remote oven
management system, **ChefLinc™**.



Higher yields, better food quality.

Anyone in the foodservice industry knows that quality food keeps customers coming back for more. But high quality, consistent food is often difficult to achieve. And labor intensive.

As labor challenges every kitchen operation, space is at a premium and the demand for high-quality food is only increasing — every kitchen can benefit from a low-temperature cook and hold oven.

Conventional cooking methods typically use heat too harsh to maintain precise temperatures. Not to mention, these methods distribute heat unevenly, resulting in an inconsistent cook and the need for employees to babysit the oven, grill or stovetop.

That's what makes Alto-Shaam Cook & Hold Ovens so valuable to professional foodservice operations. Compared to conventional cooking methods and other low temperature ovens, you can count on Cook & Hold Ovens with Halo Heat® to deliver higher yields and better food quality. Food is cooked gently and evenly. And because there is no harsh heat, forced air, or added humidity to degradefood quality, less product is wasted. This is especially true with proteins, which retain their moisture and are naturally tenderized, preserving and maximizing food quality.

Limitations with other technology



Harsh heating elements

such as cal rods, overcook food and vary in temperature reaching up to 350°F [175°C].



Fans

dry out and overcook food – reducing yields.



Added humidity

and water degrade food quality and increase operating costs.

The original Cook & Hold Oven.

The Shaam. Over the years, it has become industry shorthand for low-temperature, cook and hold ovens. Alto-Shaam was the first to introduce this pioneering oven and an entirely new technology to the commercial food industry. And it's consistently the best. Entire brands have been built around this legacy – reputations created by it.

Standing the test of time, these ovens have benefited customers for decades, with Alto-Shaam continually evolving the category to meet customer needs. With a new design and advanced control options, greater yields and less food waste have never been more attractive.

The key is innovative Halo Heat® technology. Unlike low-temperature ovens that can leave food dry and overcooked over time, Alto-Shaam's Cook & Hold Ovens ensure that food comes out full of flavor and meat is naturally tenderized with minimal shrinkage.

Alto-Shaam's Cook & Hold Ovens are an established tool in the kitchen that can be used for slow cooking, proofing, braising, preparing delicate foods and more. And with the variety of sizes and options available, even the smallest operations can expand their menus while maximizing production, yields, and food quality – and reducing labor.













Why Halo Heat®?

Higher yields. Better food quality.

Features a low-density, unique thermal cable that is wrapped around the sides and bottom of the oven cavity.



No water needed. Food retains its natural moisture.

Gentle heat is distributed evenly throughout the oven cavity.

Unique thermal cable emits even, temperatures and pulses on and off throughout the cooking and holding process.

Sealed, static cooking environment traps natural flavor and juices, reducing shrink, improving food quality and extending hold life.



Unique thermal cable provides controllable, precise temperatures with minimal intensity, leaving food full of moisture and flavor.



No fans, added humidity or harsh heating elements to degrade food quality.

Engineered for overnight success and maximum return on investment.

Featuring game changing Halo Heat® technology, Cook & Hold Ovens are a timeless classic designed to produce greater yields and less food waste. An energy efficient, ventless and waterless design paired with labor-free, overnight cooking and holding provides built-in savings. Every kitchen benefits from a Cook & Hold Oven.

COST SAVINGS

Increase Productivity.

Provide a better distribution of workloads and relieve multiple pieces of equipment. Roast, proof, braise, reheat, ferment, sous-vide, hold and more in the same cabinet with set-and-forget controls.

Labor-Free Cooking.

Utilize overnight cooking for those more time-consuming menu items to better allocate labor and equipment where needed.

Greater Yields.

Produce less food waste with Halo Heat technology. Minimize food costs with 15-20% less protein shrinkage compared to conventional cooking. Serve more portions from the same cut of meat to increase your profit margin.

See how much you save at:

alto-shaam.com/yieldcalculator

Energy and Cost Savings.

Powered by gentle, efficient Halo Heat® technology, Cook & Hold Ovens cost less than \$2 per day to operate.

Ventless Design.

No oven hood or outside venting required. Save up to \$30 per day in hood operating costs.



Natural Meat Tenderization.

Halo Heat technology activates natural enzymes for a more moist, tender product. Make the most of less expensive, underutilized cuts of meat and produce a better quality product – all at a lower cost. One hour in the Cook & Hold Oven is equivalent to 1-2 days of natural dry aging.



Place Anywhere.

Waterless design reduces installation and operating costs with no plumbing, drains, filtration or associated maintenance.





Removable Food Probes.

Designed to improve safety and be easily replaced, removable probes provide greater reliability and reduce oven downtime and repair costs. Up to six probes available per chamber in deluxe control models.

Easy to Operate.

Cook by time or temperature probe with simple or deluxe controls. The oven senses internal product temperature or time and automatically converts from cook mode to hold mode once set parameters have been reached.

In-Door Lighting.

Put product on display with a glass door option and in-door, adjustable LED lighting.

Remote Oven Management.

ChefLinc™ features an easy-to-use dashboard to streamline processes, reduce labor and maximize profits. Seamlessly push and pull recipes with a recipe management system. Empower your foodservice operation with data-driven insights, oven monitoring, service support and more.

COOK & HOLD OVENS

HACCP Compliance Made Easy.

_

No need to manually log temperatures each hour. Data logger automatically tracks food temperature readings and operation mode by date and time – all downloadable onto a USB flash drive.

Easy to Clean.

_

Simply remove shelves and wipe clean. No moving parts or added water in the oven makes oven cleaning effortless.

SureTemp™ Heat Recovery.

Assures immediate thermal compensation for any heat loss whenever the door is opened. An audible reminder sounds if the door is left open for more than three minutes.

10

Cook & Hold Ovens | Single Compartment Ovens



cheflinc enabled



cheflinc enabled



300-TH COOK & HOLD OVEN

Available with simple control or deluxe control with $\mathsf{ChefLinc}^\mathsf{TM}$

MAXIMUM PAN CAPACITY

1 Full-Size Steam Table Pan, 4" or 3 Full-Size Steam Table Pans, 2-1/2" or

1 GN 1/1, 100mm Pan or 3 GN 1/1, 65mm Pans

VOLTAGES

120V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

20-13/16" x 16-15/16" x 26-3/16" [620mm x 431mm x 665mm]

SHIPPING WEIGHT 165 lb (75 kg)

NET WEIGHT

100 lb [45 kg]

PRODUCT CAPACITY

36 lb (16 kg)

500-TH COOK & HOLD OVEN

Available with simple control or deluxe control with ChefLinc™

MAXIMUM PAN CAPACITY

3 Full-Size Steam Table Pans, 4" or 5 Full-Size Steam Table Pans, 2-1/2"* on wire shelves or

3 GN 1/1, 100mm Pans or 5 GN 1/1, 65mm Pans*

* Additional shelves required

VOLTAGES

120V. 1Ph. 60Hz 208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

27-7/8" x 18-1/16" x 28-1/2"" [708mm x 459mm x 724mm]

SHIPPING WEIGHT

250 lb [113 kg]

NET WEIGHT

185 lb [84 kg]

PRODUCT CAPACITY

40 lb [18 kg]

500-TH/II CLASSIC COOK & HOLD OVEN

MAXIMUM PAN CAPACITY

3 Full-Size Steam Table Pans, 4" or 4 Full-Size Steam Table Pans, 2-1/2"* or

3 GN 1/1, 100mm or 4 GN 1/1, 65mm*

* Additional shelves required

VOLTAGES

120V, 1Ph, 60Hz 208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

31-7/8"" x 19" x 29-9/16" [809mm x 483mm x 675mm]

SHIPPING WEIGHT

166 lb (75 kg)

NET WEIGHT

130 lb [59 kg]

PRODUCT CAPACITY 40 lb [18 kg]







cheflinc enabled

cheflinc enabled

750-TH/II CLASSIC COOK & HOLD OVEN

750-TH COOK & HOLD OVEN [Shown with glass door - optional]

Available with simple control or deluxe control with ChefLinc™

MAXIMUM PAN CAPACITY*

MAXIMUM PAN CAPACITY*

on wire shelves or

6 GN 1/1, 100mm Pans

10 GN 1/1, 65mm Pans

208V-240V, 1Ph, 60Hz

230V, 1Ph, 50/60Hz

* Additional shelves required

120V, 1Ph, 60Hz

VOLTAGES

6 Full-Size Steam Table Pans. 4" or

10 Full-Size Steam Table Pans, 2-1/2"

4 Full-Size Steam Table Pans, 6" or 6 Full-Size Steam Table Pans, 4" or 10 Full-Size Steam Table Pans, 2-1/2" or

4 GN 1/1, 150mm or 6 GN 1/1, 100mm or 10 GN 1/1, 65mm

* Additional shelves required

VOLTAGES

120V, 1Ph, 60Hz 208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

DIMENSIONS H x W x D 27-7/8" x 18-1/16" x 28-1/2"

SHIPPING WEIGHT

290 lb [131 kg]

225 lb [102 kg]

100 lb (45 kg)

PRODUCT CAPACITY

NET WEIGHT

[708mm x 459mm x 724mm]

31-7/8" x 26-5/8" x 31-5/8" [809mm x 676mm x 802mm]

SHIPPING WEIGHT

264 lb [120 kg]

NET WEIGHT

194 lb [88 kg]

PRODUCT CAPACITY

100 lb (45 kg)

1000-TH COOK & HOLD OVEN

Available with simple control or deluxe control with ChefLinc $^{\!\scriptscriptstyle\mathsf{TM}}$

MAXIMUM PAN CAPACITY*

5 Full-Size Steam Table Pans, 4" or 8 Full-Size Steam Table Pans, 2-1/2" on wire shelves or

5 GN 1/1, 100mm Pans or 8 GN 1/1, 65mm Pans

VOLTAGES

120V, 1Ph, 60Hz 208V-240V. 1Ph. 60Hz 230V, 1Ph, 50/60Hz

* Additional shelves required

DIMENSIONS H x W x D

40-1/8" × 22-9/16" × 33-1/2" [1019mm x 573mm x 851mm]

SHIPPING WEIGHT

315 lb [143 kg]

NET WEIGHT 250 lb [113 kg]

PRODUCT CAPACITY

120 lb [54 kg]

1000-TH/II CLASSIC COOK & HOLD OVEN MAXIMUM PAN CAPACITY 4 Full-Size Steam Table Pans, 2-1/2"* or 40-3/16" x 23-1/2" x 31-5/8"

4 GN 1/1 65mm*

* Additional shelves required

VOLTAGES

120V, 1Ph, 60Hz (1000-TH-II only)

208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

[1021mm x 597mm x 802mm]

SHIPPING WEIGHT 275 lb (125 kg)

NET WEIGHT

200 lb [91 kg]

PRODUCT CAPACITY

120 lb [54 kg]

PAN DIMENSIONS

* Steam Table Pans = [20 x 12]

* $G/N 1/1 Pans = (530mm \times 325mm)$

Cook & Hold Ovens | Double Compartment Ovens



1000-TH-I CLASSIC COOK & HOLD OVEN

MAXIMUM PAN CAPACITY *

(PER COMPARTMENT)

4 Full-Size Steam Table Pans, 2-1/2" or

4 GN 1/1 65mm

* Additional shelves required

VOLTAGES

208V-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz

DIMENSIONS H x W x D

75-5/8" x 23-15/16" x 31-5/8" (1920mm x 608mm x 802mm)

SHIPPING WEIGHT

435 lb (197 kg)

NET WEIGHT

346 lb (157 kg)

PRODUCT CAPACITY

120 lb (54 kg) per compartment



cheflinc enabled

1200-TH COOK & HOLD OVEN

Available with simple control or deluxe control with ChefLinc™

MAXIMUM PAN CAPACITY *

(PER COMPARTMENT)

5 Full-Size Steam Table Pans, 4" or 8 Full-Size Steam Table Pans. 2-1/2" per cavity, on wire shelves only or

5 GN 1/1, 100mm Pans or 8 GN 1/1, 65mm Pans

* Additional shelves required

VOLTAGES

208-240V, 1Ph, 60Hz 230V, 1Ph, 50/60Hz 380-415V, 3Ph, 50/60Hz

DIMENSIONS H x W x D

70-5/8" x 22-9/16" x 33-1/4" (1795mm x 573mm x 845mm)

SHIPPING WEIGHT

515 lb (234 kg)

NET WEIGHT

450 lb (188 kg)

PRODUCT CAPACITY

120 lb (54 kg) per compartment



cheflinc enabled

1750-TH COOK & HOLD OVEN

Available with simple control or deluxe control with ChefLinc™

MAXIMUM PAN CAPACITY*

(PER COMPARTMENT)

6 Full-Size Steam Table Pans, 4" or 10 Full-Size Steam Table Pans, 2-1/2" per cavity or

6 GN 1/1, 100mm Pans or 10 GN 1/1, 65mm Pans

* Additional shelves required

VOLTAGES

208-240V, 1Ph, 60Hz 230V. 1Ph. 50/60Hz 380-415V, 3Ph, 50/60Hz

DIMENSIONS H x W x D

56-1/2" × 25-11/16" × 33-1/16" (1435mm x 653mm x 840mm)

SHIPPING WEIGHT

502 lb (228 kg)

NET WEIGHT

437 lb (198 kg)

PRODUCT CAPACITY

100 lb (45 kg) per compartment

PAN DIMENSIONS

* Steam Table Pans = (20 x 12)

* G/N 1/1 Pans = [530mm x 325mm]



Control Overview

CLASSIC

500-TH/II, 750-TH/II, 1000-TH/II, 1000-TH/I



- Knobs and push button control

- Arrows to set cook and hold times
- Digital display
- Indicator lights
- Manual cooking and holding

SIMPLE

300-TH, 500-TH, 750-TH, 1000-TH, 1200-TH, 1750 TH

Intuitive, icon-based control

- Single knob
- One (1) probe standard per chamber
- Save up to eight (8) recipes per chamber
- Cook and hold by probe standard
- Preheat temperature same as cook temperature
- Cook log with min/max temps standard
- HACCP data collection optional
- Information upload/download via USB
- Screen lock
- lcon descriptions available in multiple languages



- Advanced, touchscreen control

- One (1) probe standard per chamber
- Up to six [6] probes available per chamber

DELUXE

300-TH, 500-TH, 750-TH, 1000-TH,

1200-TH, 1750 TH

- Save unlimited recipes
- Cook and hold by probe standard
- Preheat temperature separate from cook temperature
- Multiple cook stages available
- HACCP data collection standard
- Information upload/download via USB - Various locking functionality
- Control available in multiple languages
- Recipe search
- Recipe file categorization/filtering - Include pictures with recipe settings
- SureTemp™ heat recovery
- Lighted chamber

Network capability via cheflinc remote oven management system

- Manage ovens remotely with
- an easy-to-use dashboard
- Stay connected with real-time oven status and alerts
- Push and pull recipes and oven settings
- Record, monitor and store data
- View reports to draw business insights and more



Why Alto-Shaam Cook & Hold Ovens?

Exclusive Halo Heat®

Experience better food quality and higher yields. Gentle, radiant heat evenly surrounds food without the use of extremely hot elements, added humidity or fans. Maintain precise temperatures throughout the cooking and holding process for the highest quality results every time.

Labor-Free Cooking

Increase productivity and reclaim 12-16 hours of nonproductive time with overnight cooking and holding. Roast, proof, braise, reheat, ferment, sous-vide, hold and more in the same cabinet to provide a better distribution of workloads and relieve other pieces of equipment.

Place Anywhere

No traditional oven hood or outside venting required. Save on hood installation and operating costs. A waterless design further reduces costs with no plumbing, drains, filtration or associated maintenance required.

Energy Efficient Design

Due to gentle, low and slow heat from Halo Heat technology, ovens cost less than \$2 a day to operate.

Easy to Operate

Programmable, user-friendly controls allow operators to reduce training time and ensure consistency with each cook. Simple and deluxe control models feature a "cook and hold by probe" option to precisely cook and hold a variety of food items at a specific internal temperature.

Remote Oven Management

ChefLinc™ features an easy-to-use dashboard to streamline processes, reduce labor and maximize profits. Seamlessly push and pull recipes and limited-time offers with a recipe management system. Discover data-driven insights, oven monitoring, service support and more.



A partner you can rely on.

At Alto-Shaam we're relentlessly driven to design and manufacture products that perform flawlessly in the most demanding conditions to give operators confidence and consistency in every meal. And our team is just as committed to providing industry-leading service and support. From installation consultation to equipment training to around the clock, every day technical assistance to culinary support—you can trust that we are here for you.

Full Line Commercial Kitchen Equipment:

- Combitherm® Ovens
- Heated Holding
- Convection Ovens
- Cook & Hold Ovens
- Food Wells

- Smokers
- Quickchillers™
- Rotisseries
- Thermal Shelves & Carving Stations
- Merchandisers & Display Cases
- Vector® Multi-Cook Ovens





Menomonee Falls, WI U.S.A. Phone 800-558-8744 | +1-262-251-3800 | alto-shaam.com

ASIA

Shanghai, China Phone +86-21-6173-0336

AUSTRALIA

Brisbane, Queensland Phone 800-558-8744

CANADA

Concord. Ontario Canada Toll Free Phone 866-577-4484 Phone +1-905-660-6781

FRANCE

Aix en Provence, France Phone +33(0)4-88-78-21-73

GMBH

Bochum, Germany Phone +49 [0]234 298798-25

ITALY

Padua. Italy Phone +39 3476073504

INDIA

Pune, India Phone 800-558-8744

MEXICO

Phone +1 262 509 6572

MIDDLE EAST & AFRICA

Dubai, UAE Phone +971-4-321-9712

CENTRAL & SOUTH AMERICA

Miami, FL USA Phone +1 262 509 6572

RUSSIA

Moscow, Russia Phone +7 903 7932331





